Pet's Name	Procedure	Discharge Date
	Magazine Street	Animal Clinic
	Home-Care In	
while others may be more		et, warm, and familiar place. Some pets go home fairly energetic, o be feeling fine, it is important to keep things low-key for the first
If all goes well after an hetonight. Don't be worried occurs, withhold food and morning to try again. () Regular food and wa () Feed softened or cannot be considered or ca	nour, another ¼ to ½ size meal can be offered. Cod if your pet doesn't seem interested in food; apped water for several hours, then offer very small and	all amount of water and no more than ¼ of his/her regular meal. ontinue to limit amount of water consumed at one sitting through etite should increase by 24-48 hours after surgery. If vomiting mounts at a time. It may even be preferable to wait until the
. ,		
and off of furniture. This() Normal activity WIT() Keep totally confined	is important to reduce post-surgical swelling and THIN REASON. It to a kennel. Very short bathroom trips only on rapy Instruction papers provided.	for 7-10 days. Walk on leash only. Avoid stairs and jumping on to keep incision from having to endure too much straining. a short leash. Carry up & down stairs or towel-walk large dogs.
Incision or Wound		
		me mild swelling/bruising may be expected, but call if there is any
change that seems excess	give. Discourage licking & chewing! An Elizah	bethan collar may be needed if excessive chewing cannot be
stopped.	ivo. Discourage nearing to enewing. The English	calair conar may be needed if excessive enewing cannot be
() Other:		
() Keep Elizabethan col	llar on at all times.	
Medication: (bottles	s will have detailed instructions of medication dir	rections.)
() No medications are in		,
* *	n as directed. (Next dose:)
		ly moving plunger up & down before trying to dispense drops !!!
	rected: (Next dose:)
() Other:		
 () Suture/Staple remo () Suture removal is NO () Bandage change or regoing outside. Monit 		
Monitoring:		
A decrease in activity or surgery. This is normal. over two days, (2) refusal* In the event of a true m	However, if your pet exhibits any of the following to drink water for over one day, (3) weakness of edical emergency and the doctors cannot be reach	d patients may not have a bowel movement for 24 to 36 hours after ng symptoms, please notify the hospital: (1) loss of appetite for depression, (4) vomiting or diarrhea, (5) signs of fever. hed, please contact the emergency clinic for assistance: seet in Metairie off Veterans Blvd. behind Barnes & Noble.
I have read and understar	nd the above discharge instructions. The doctors	and assistants have answered my questions to my satisfaction.
Q: t	£	
Signature o	f owner or authorized agent	Date

AS ALWAYS, PLEASE CALL US AT (504) 891-4115 IF YOU HAVE ANY QUESTIONS OR CONCERNS.